

ACCURACY	BW	WW	MILK	YW	REA	FAT	IMF	CED	CEM	SC
0.05	2.7	11.9	8.5	17.3	0.36	0.032	0.11	8.6	6.8	0.87
0.10	2.5	11.2	8.1	16.4	0.34	0.031	0.10	8.1	6.4	0.82
0.15	2.4	10.6	7.6	15.5	0.32	0.029	0.10	7.7	6.0	0.78
0.20	2.2	10.0	7.2	14.6	0.31	0.027	0.09	7.2	5.7	0.73
0.25	2.1	9.4	6.7	13.7	0.29	0.025	0.09	6.7	5.3	0.69
0.30	2.0	8.7	6.3	12.7	0.27	0.024	0.08	6.2	4.9	0.64
0.35	1.8	8.1	5.8	11.8	0.25	0.022	0.08	5.8	4.5	0.59
0.40	1.7	7.5	5.4	10.9	0.23	0.020	0.07	5.3	4.2	0.55
0.45	1.5	6.9	4.9	10.0	0.21	0.019	0.06	4.8	3.8	0.50
0.50	1.4	6.2	4.5	9.1	0.19	0.017	0.06	4.4	3.5	0.46
0.55	1.3	5.6	4.0	8.2	0.17	0.015	0.05	3.9	3.1	0.41
0.60	1.1	5.0	3.6	7.3	0.15	0.014	0.05	3.5	2.8	0.37
0.65	1.0	4.4	3.1	6.4	0.13	0.012	0.04	3.0	2.4	0.32
0.70	0.8	3.7	2.7	5.5	0.11	0.010	0.03	2.6	2.1	0.27
0.75	0.7	3.1	2.2	4.6	0.10	0.008	0.03	2.1	1.7	0.23
0.80	0.6	2.5	1.8	3.6	0.08	0.007	0.02	1.7	1.4	0.18
0.85	0.4	1.9	1.3	2.7	0.06	0.005	0.02	1.3	1.0	0.14
0.90	0.3	1.2	0.9	1.8	0.04	0.003	0.01	0.9	0.7	0.09
0.95	0.1	0.6	0.4	0.9	0.02	0.002	0.01	0.5	0.4	0.05